

# ICR845-2 Maximum performance when stationary and moving





#### Technical data overview

Focus	Fixed focus
Sensor resolution	752 px x 480 px
Scanning frequency	60 Hz
Reading distance	30 mm 325 mm (depending on type)
Enclosure rating	IP65 / IP30 / IP67 / IP30 (depending on type)
Ethernet	✓, TCP/IP
PROFINET	$\checkmark$ , Optional, over external connection module
Serial	✔, RS-232
CAN	✓
CANopen	✓
PROFIBUS DP	$\checkmark$ , Optional, over external connection module
DeviceNet™	$\checkmark$ , Optional, over external connection module
Weight	900 g

### **Product description**

Whether an object is stationary or in fast motion, the ICR845-2 offers reliable decoding, ensuring greater machine throughput that doesn't interfere with production lines. The latest technology allows for rapid computing performance combined with high-quality matrix sensors for reliability. It is ideal for direct part marked applications, allowing for improved traceability. Industry-compatible IP 65 housings, integrated illumination, user-friendly image recording, and decoding with rapid image and data output via standard-ized interfaces allow for quick implementation. The ICR845-2 series reads 1D and 2D codes in any orientation – even with low contrast, poor markings, damaged codes and dusty surroundings. Optimum adjustment for the application can be achieved in just a few steps by using the comfortable live image and auto setup function.

### At a glance

- · Configure with live image and auto setup
- · Fast, omni-directional reading of printed and direct marked 1D and 2D codes
- · Rapid image and data transmission via Ethernet interface
- Reliable reading of codes on stationary and on fast-moving objects guarantee secure identification and flexible use

## Your benefits

- Robust code identification even at very high transport speeds and speed variances simplify commissioning and increase operational flexibility
- · Fast, cost-effective commissioning via intuitive user interface with live image and auto-setup configuration
- · High-speed, reliable decoding of low contrast and direct part marked codes guarantees secure identification and flexible use
- Dynamic parameter switching makes decoding different code qualities possible with just one setting
- Omni-directional identification of 1D and 2D codes makes it possible to identify objects that are not aligned
- Even suitable for use in harsh ambient conditions thanks to rugged IP65/IP67 housing
- · Flexible use with integrated, controllable LED illumination

### Ordering information

Other models and accessories -> www.sick.com/ICR845-2

# SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

# WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

