

EXA-12A0000A000



EXA-12A0000A000



Ordering information

Туре	Part no.
EXA-12A0000A000	1068384

Other models and accessories -> www.sick.com/

Detailed technical data

Technical specifications

Accessory groupDevice protection (mechanical)Accessory familyProtective housings and protective pipesPacking unit1 piceDescriptionExplosion-proof enclosure for safety light curtains with protective field height of 1,200 mmClassifications27371205 enclosure for safety light curtains with protective field height of 1,200 mmEcLASS 5.027371205 enclosure for safety light curtains with protective field height of 1,200 mmEcLASS 6.027371205 enclosure for safety light curtains with protective field height of 1,200 mmEcLASS 7.027371205 enclosure for safety light curtains diverse for safety light curtains with protective field height of 1,200 mmEcLASS 8.027371205 enclosure for safety light curtains with protective field height of 1,200 mmEcLASS 9.027371205 enclosure for safety light curtains with protective field height of 1,200 mmEcLASS 1.027371205 enclosure for safety light curtains diverse for safety light curtains diverse for safety light curtains with protective field height of 1,200 mmEtLASS 1.027371205 enclosure for safety light curtains diverse for safety light curt		
Packing uniti pieceDescriptioni pieceDescriptionEpison-proof enclosure for safety light curtains with protective field height of 1,200 mmClassifications2731205EcLASS 5.02731205EcLASS 6.027371205EcLASS 6.22731205EcLASS 7.02731205EcLASS 8.12731205EcLASS 8.12731205EcLASS 9.02731205EcLASS 9.02731205EcLASS 1.02731205EcLASS 1.02731205Ec	Accessory group	Device protection (mechanical)
DescriptionExplaion-proferencies/light curtains with protective field height of 1,200 mmEcLASS 5.07.371205EcLASS 5.1.47.371205EcLASS 6.07.371205EcLASS 6.27.371205EcLASS 7.07.371205EcLASS 8.17.371205EcLASS 9.07.371205EcLASS 9.07.371205EcLASS 1.0.07.371205EcLASS 1.0.07.371205Ec	Accessory family	Protective housings and protective pipes
ClassificationsEcLASS 5.027371205EcLASS 5.1.427371205EcLASS 6.027371205EcLASS 6.227371205EcLASS 7.027371205EcLASS 8.027371205EcLASS 8.127371205EcLASS 9.027371205EcLASS 1.0.027371205EcLASS 1.0.027371205EcLASS 1.1.027371205EcLASS 1.1.027371205EcLASS 1.1.027371205EcLASS 1.1.027371205EcLASS 1.1.027371205ErLM 5.0EcO0200ErtM 5.0EcO0200ErtM 5.0EcO0200ErtM 5.0EcO0200	Packing unit	1 piece
ECLASS 5.027371205ECLASS 5.1.427371205ECLASS 6.027371205ECLASS 6.227371205ECLASS 7.027371205ECLASS 8.027371205ECLASS 8.127371205ECLASS 9.027371205ECLASS 1.0.027371205ECLASS 1.1.027371205ETIM 5.0E000201ETIM 5.0E000201	Description	Explosion-proof enclosure for safety light curtains with protective field height of 1,200 mm
EcLASS 5.1.427371205EcLASS 6.027371205EcLASS 6.227371205EcLASS 7.027371205EcLASS 8.027371205EcLASS 8.127371205EcLASS 9.027371205EcLASS 10.027371205EcLASS 11.027371205EcLASS 12.027371205EtLASS 12.020300EtIM 5.0E00200EtIM 6.0E002000EtIM 6.0E002000EtIM 7.0E002000EtIM 7.0E002000	Classifications	
Eclass 6.027371205Eclass 6.227371205Eclass 7.027371205Eclass 8.027371205Eclass 8.127371205Eclass 9.027371205Eclass 10.027371205Eclass 11.027371205Eclass 12.027371205Etlass 12.0ColocoEtlass 12.0Coloco <t< th=""><th>ECLASS 5.0</th><th>27371205</th></t<>	ECLASS 5.0	27371205
EcLASS 6.227371205EcLASS 7.027371205EcLASS 8.027371205EcLASS 9.027371205EcLASS 10.027371205EcLASS 11.027371205EcLASS 12.027371205ErLM 5.0E000200ErlM 5.0E000200ErlM 6.0E000200ErlM 7.0E000200ErlM 7.0E000200ErlM 7.0E000200ErlM 7.0E000200ErlM 7.0E000200ErlM 7.0E000200	ECLASS 5.1.4	27371205
EcLass 7.027371205EcLass 8.027371205EcLass 9.027371205EcLass 10.027371205EcLass 11.027371205EcLass 12.027371205EtLass 12.027371205EtIM 5.0EcO0200EtIM 5.0EcO0200EtIM 6.0EcO0200EtIM 7.0EcO0200EtIM 7.0EcO0200 </th <th>ECLASS 6.0</th> <th>27371205</th>	ECLASS 6.0	27371205
Eclass 8.027371205Eclass 8.127371205Eclass 9.027371205Eclass 10.027371205Eclass 11.027371205Eclass 12.027371205Etim 5.0EcologoEtim 5.0EcologoEtim 6.0EcologoEtim 6.0EcologoEtim 7.0EcologoEtim 8.0Ecologo	ECLASS 6.2	27371205
Eclass 8.127371205Eclass 9.027371205Eclass 10.027371205Eclass 11.027371205Eclass 12.027371205Etim 5.0Eco2000Etim 6.0Eco2000Etim 6.0Eco2000Etim 7.0Eco2000Etim 8.0Eco2000	ECLASS 7.0	27371205
EcLASS 9.027371205EcLASS 10.027371205EcLASS 11.027371205EcLASS 12.027371205ETIM 5.0EcO0200ETIM 6.0EcO02000ETIM 7.0EcO02000ETIM 8.0EcO02000	ECLASS 8.0	27371205
EcLASS 10.027371205EcLASS 11.027371205EcLASS 12.027371205ETIM 5.0EcO02000ETIM 6.0EcO02000ETIM 7.0EcO02000ETIM 8.0EcO02000	ECLASS 8.1	27371205
EcLASS 11.027371205EcLASS 12.027371205ETIM 5.0C002000ETIM 6.0Ec002000ETIM 7.0Ec002000ETIM 8.0Ec002000	ECLASS 9.0	27371205
EcLASS 12.0 27371205 ETIM 5.0 Ec002000 ETIM 6.0 Ec002000 ETIM 7.0 Ec002000 ETIM 8.0 Ec002000	ECLASS 10.0	27371205
ETIM 5.0 EC00200 ETIM 6.0 EC00200 ETIM 7.0 EC00200 ETIM 8.0 EC00200	ECLASS 11.0	27371205
ETIM 6.0 EC000200 ETIM 7.0 EC000200 ETIM 8.0 EC000200	ECLASS 12.0	27371205
ETIM 7.0 EC000200 ETIM 8.0 EC000200	ETIM 5.0	EC000200
ETIM 8.0 EC000200	ETIM 6.0	EC000200
	ETIM 7.0	EC000200
UNSPSC 16.0901 32131023	ETIM 8.0	EC000200
	UNSPSC 16.0901	32131023

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

